




ARCHITECTURAL LIGHTING PRODUCTS

www.shikshalights.com





ABOUT US

Welcome to Rama Electric Industries, a well-known and highly reputed electrical goods company dealing in all Electrical Goods We Specialise in LED Lighting & PIONEER in Lighting solutions. There are so many reasons to use our high high-quality LED products but we kindly ask you first, to browse this catalogue, there is full information regarding latest & newly developed products & then contact us with your requirements.

Rama Electric Industries was established in 1963, with the manufacturing

of glass lamps in Amritsar. Then, it started trading in 1983. From 1996 we started a distribution network business. With the distributor of electrical goods like PVC Pipes, Junction Box, Fan and Conceal Box, flush boxes, copper/aluminium wire and cables, wiring access-series like Modular Switch, Fan, Geyser MCB DB's, MCB etc.

In addition to this, we started the LED Lighting Business in 2005. Since we have grown from 1963 to the date, only on the basis of best quality services, timely commitment with the support of Architect / Builders / Interior Decorators and one of our best & favourite Dealer Network.

We deal in LED Lighting like Indoor, Outdoor, Stage Lighting, Home Automation (Lighting) and LMS i.e. Lighting Management System. We specialize in Commercial Building, Hotel, Banquets & Big Banglows.

Some of our Clients are Taj Swarna Amritsar, Golden Temple Plaza Passage Lighting, Corporate Hospitals, EMC Hospital etc. We got 'Appreciation Award' from Taj Swarna Amritsar for the 'Best Quality and After Sale Services'.

ASPIRATION

"CUSTOMER SATISFACTION IS THE PRIME MOTO OF OUR COMPANY-NY".

To satisfy our customers we ensure that the products we provide must meet customer requirements and expectations. Customer Satisfaction is an important way by which we full-fill the requirements of our customers and we convey the same in the form of our better and improved services every time.

MISSION

"Our mission is to deliver high-quality products at nominal cost"

We customize products with top-class quality, raw materials, well equipped with technical features & better services at our end to execute supply against customer requirements with more efficient efforts.

Our rigid quality control ensures that every single product we

Customizing will give an application optimum performance, which was made because we do not compromise on our quality.




CONTENTS

PAGE NO.


1. PESTO SERIES	1-3
2. GLANZA SERIES	4-10
3. DOME SERIES	11-15
4. COB SPOTLIGHT	16-20
5. PULLOUT SERIES	21-24
6. LASER BLADE SERIES	24-26
7. COB SPOTLIGHT/DOWN LIGHT	27-35
8. GIMBAL DOWNLIGHT	36-38
9. ZOOM DOWNLIGHT	39
10. PANEL LIGHT	40-41
11. TRACKLIGHT/CONCEALED	42-43
12. TILTABLE-TRACK/CONCEALED/SUR	45
13. WALL LIGHT	46-50
14. SURFACE CYLINDER	50
15. LINEA PROFILE	51
16. HANGING LIGHT	52
17. 2X2 RECESS/SURFACE	53
18. LED STRIP/SMPS	54
19. GARDEN LIGHT/SPIKE	55
20. BOLLARD	56-57
21. UP/DOWN WALL LIGHT	57-59
22. STREET LIGHT	60-61
23. FLOOD/MODULAR LIGHT/HIGHBAY	62-64
24. POST TOP	65-66



PESTO CUBE SERIES




PESTO LASER



WATTAGE	-5w(5WAY)	WATTAGE	-10W(10WAY SQ)	WATTAGE	-9W(9WAY)	WATTAGE	-10W(10WAY SQ)
HEIGHT	-150mm X 47mm	HEIGHT	-165mm X 78mm	HEIGHT	-120mm X 100mm	HEIGHT	-1280mm X 47mm
DIAMETER	-60mm	DIAMETER	-60mm	DIAMETER	-60mm	DIAMETER	-60mm
CUTOUT	-140mm X 35mm	CUTOUT	-155mmX 65mm	CUTOUT	-110mmX 90mm	CUTOUT	-270mmX 35mm

PESTO TRIMLESS



WATTAGE	-5W(5WAY)	WATTAGE	-10W(10WAYSQ)	WATTAGE	-9W(9WAY)	WATTAGE	-10W(10WAY)
HEIGHT	-202mm X 96mm	HEIGHT	-214mm X 128mm	HEIGHT	-170mm X 150mm	HEIGHT	-332mm X 96mm
DIAMETER	-33mm	DIAMETER	63mm	DIAMETER	-63mm	DIAMETER	63mm
CUTOUT	-142mm X 37mm	CUTOUT	-157mm X 67mm	CUTOUT	112mm X 92mm	CUTOUT	-272mm X 37mm

LED	BRIDGELLUX	CREE	DISON	OSRAM
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA			
COLOUR TEMP	3000K / 3500K / 4000K / 6000 K			
LUMEN EFFICIENCY	100-120 LM/W			
REFLECTOR COLOUR	WHITE / BLACK			
CRI	80 / 90			
BEAM ANGLE	15° / 24° / 36°			



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI



BT

WIFI

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample



PESTO SURFACE



WATTAGE
DIAMETER
HEIGHT

-5W(5WAY)
-70mm
-142mm X 37mm

WATTAGE
DIAMETER
HEIGHT

-10W(10WAYSQ)
-155mm X 67mm
63mm

WATTAGE
DIAMETER
HEIGHT

-9W(9WAY)
-107mm X 88mm
-70mm

WATTAGE
DIAMETER
HEIGHT

-10W(10WAY)
-332mm X 96mm
63mm

PESTO MAGNETIC SERIES



WATTAGE
DIAMETER
HEIGHT

-5W(5WAY)
-130mm X 28mm
-115 mm

WATTAGE
DIAMETER
HEIGHT

-10W(10WAYSQ)
-150mm X 58mm
115mm

WATTAGE
DIAMETER
HEIGHT

-9W(9WAY)
-125mm X 80mm
-115mm

WATTAGE
DIAMETER
HEIGHT

-10W(10WAY)
-227mm X 27mm
-115mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
REFLECTOR COLOUR
CRI
BEAM ANGLE

BRIDGELLUX
CREE+
DISON
OSRAM+
PHILIPS / FULHAM / OSRAM / SHIKSHA
3000K / 3500K / 4000K / 6000 K
100-120 LM/W
WHITE / BLACK
80 / 90
15° / 24° / 36°



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample



The pesto series has four installation methods,
Which are not limited by the height of the floor
To meet the lighting needs of different spaces.



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

HEALTHY EYE DURABLE

SHIKSHA

SHIKSHA

GLANZA DEC 2024

GLANZA FACE RING



GLANZA FACE RING



GLANZA FILTERS



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI



ALEXA




GOOGLE HOME

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample



GLANZA FILTER APPLICATION

Flat Face Up



Filter

Lens




Linear filter

Single Asymmetric


Double Asymmetric

Vertical Down Mounting




Different Angle Different Filter Different Effect


24°




24°+ Linear



24°+ Single Asymmetric



24°+ Double Asymmetric



Direct Lens

Single Asymmetric

Double Asymmetric

Linear Filter

15°



24°



36°



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

WIFI

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample



EXCELLENT
LIGHTING



ECO
FRIENDLY



ENERGY
SAVING



LED
LONG LIFE


GLANZA (FRONT OPENABLE)

		
		
WATTAGE -5W HEIGHT -78mm DIAMETER -65mm CUTOUT -55mm	WATTAGE -10-15W HEIGHT -101mm DIAMETER -85mm CUTOUT -75mm	WATTAGE -18-20W HEIGHT -110mm DIAMETER -105mm CUTOUT -95mm
WATTAGE -25-30W HEIGHT -121mm DIAMETER -105mm CUTOUT -95mm		

NEW

WATTAGE -15W HEIGHT -114mm DIAMETER -65mm CUTOUT -55mm	WATTAGE -25W HEIGHT -147mm DIAMETER -85mm CUTOUT -75mm
---	---

LED	BRIDGELUX	CREE	DISON	OSRAM
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA			
COLOUR TEMP	3000K / 3500K / 4000K / 6000 K			
LUMEN EFFICIENCY	120-140 LM / W			
RING COLOUR	WHITE/MATT BLACK/GOLD/ROSE GOLD/ CHROME/SILVER / PEARL SHINING BLACK			
CRI	80 / 90			
BEAM ANGLE	15° / 24° / 36° / 55°			
HEATSTINK COLOUR	GREY			
OPTICS	HERCULUX			



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS





WATTAGE -5-8W
HEIGHT -78mm
DIAMETER -88mm
CUTOUT -55mm

WATTAGE -12-15W
HEIGHT -101mm
DIAMETER -108mm
CUTOUT -75mm

WATTAGE -15-20W
HEIGHT -110mm
DIAMETER -128mm
CUTOUT -95mm

WATTAGE -25-30W
HEIGHT -121mm
DIAMETER -128mm
CUTOUT -95mm



LED
DRIVER PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP 2700K / 3000K / 3500K / 4000K / 6500 K
LUMEN EFFICIENCY 120-140 LM / W
RING COLOUR WHITE/MATT BLACK/GOLD/ROSE GOLD/
CHROME/SILVER / PEARL SHINING BLACK
CRI 80 / 90
BEAM ANGLE 15° / 24° / 36° / 55 °
HEATSTINK COLOUR GREY
OPTICS HERCULUX
5° AVAILABLE IN 75 MM CUTOUT



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



GLANZA DOUBLE SQUARE



WATTAGE -7W X 2
HEIGHT -85mm
DIAMETER -115 X 65mm
CUTOUT -105mm X 55mm



WATTAGE -12W X 2
HEIGHT -111mm
DIAMETER -155mm x85mm
CUTOUT -145mm X 75mm



WATTAGE -18W-2
HEIGHT -124mm
DIAMETER -195mm X 105mm
CUTOUT -185mm X 95mm

WATTAGE -25W X 2
HEIGHT -135mm
DIAMETER -195mm X 105mm
CUTOUT -95mm

GLANZA DOUBLE SQUARE TRIMLESS



WATTAGE -7W X 2
HEIGHT -85mm
DIAMETER -115 X 65mm
CUTOUT -105mm X 58mm



WATTAGE -12W X 2
HEIGHT -111mm
DIAMETER -155mm x85mm
CUTOUT -145mm X 78mm



WATTAGE -18W-2
HEIGHT -124mm
DIAMETER -195mm X 105mm
CUTOUT -185mm X 98mm

WATTAGE -25W X 2
HEIGHT -135mm
DIAMETER -195mm X 105mm
CUTOUT -185mm X 98mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
RING COLOUR
CRI
BEAM ANGLE
HEATSTINK COLOUR
OPTICS

BRIDGELUX
CREE
DISON
OSRAM

PHILIPS / FULHAM / OSRAM / SHIKSHA
2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
120-140 LM / W
WHITE/MATT BLACK/GOLD/ROSE GOLD/
CHROME/SILVER / PEARL SHINING BLACK
80 / 90
15° / 24° / 36° / 55 °
GREY
HERCULUX
5° AVAILABLE IN 75 MM CUTOUT



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE




#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS




HEALTHY EYE DURABLE

Continuously Improve The Integrated Product System,
Provide More Comprehensive Scene Lighting Applications,
Create Multiple Expressions Of Light, And Inject New
Possibilities Into Life



DOMESTIC SPOTLIGHT

DOME



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-6W
-42mm
-63mm
-55mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-12W
-57mm
-85mm
-75mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-18W
-73mm
-105mm
-95mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-30W
-89mm
-132mm
-120mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT


-8W
-51mm
-73mm
-65mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
RING COLOUR
CRI
BEAM ANGLE
OPTICS

BRIDGELUX
CREE
DISON
OSRAM
PHILIPS / FULHAM / OSRAM / SHIKSHA
2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
120-140 LM / W
WHITE/MATT BLACK/GOLD/ROSE GOLD/
CHROME/SILVER / PEARL SHINING BLACK
80 / 90
15° / 24° / 36° / 50°
HERCULUX



DOME FISHEYE



WATTAGE
HEIGHT
DIAMETER
CUTOUT
BEAM ANGLE

-12W
-85mm
-73mm
-75mm
-120°



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

WIFI

BT

WIFI

BT


#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

HERCULUX




DOME SERIES

DOME SNOOT




WATTAGE	-12W
HEIGHT	-85mm
DIAMETER	-70mm
CUTOUT	-75mm
BEAM ANGLE	10°-50°

BLACK HOLE




WATTAGE	-12W
HEIGHT	-85mm
DIAMETER	-57mm
CUTOUT	-75mm
BEAM ANGLE	-24°-36°

FOCUSING



WATTAGE	-12W
HEIGHT	-85mm
DIAMETER	-57mm
CUTOUT	-75mm
BEAM ANGLE	-15°-36°

TRIMLESS



WATTAGE	-12W
HEIGHT	-108mm
DIAMETER	-57mm
CUTOUT	-75mm
BEAM ANGLE	-10-50




0~30°

Stepless regulation 0~30° at any angle



Metal Pinball, When Swinging Angle, The Pinball Moves Up And Down With The Gear Rolling When Popping Up To The Serrated Concave Point, fasten The Radiator To Prevent Looseness



Horizontal Rotation Of 355°, With Positioning Point And Damping To Fool-proof



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

WIFI

BT

WIFI

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING



EXCELLENT LIGHTING



ECO FRIENDLY




ENERGY SAVING




LED LONG LIFE


DOME CONCEALED 12W



DOME SQUARE 12W



DOME GIMBAL 12W X 2



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

ALEXA


GOOGLE

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample



HUMAN CENTRIC LIGHTING



DOME ROUND SURFACE 12W



DOME SQUARE SURFACE 12W



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



JAZZ SPOTLIGHT



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-5-8W
-59mm
-62mm
-55mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-10-12W
-64mm
-85mm
-75mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-15-18W
-105mm
-72mm
-95mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-18-22W
-73mm
-130mm
-115mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-23-35W
-80mm
-170mm
-145mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-40-50W
-85mm
-195mm
-170mm

ECO SPOTLIGHT (FRONT OPENABLE)



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-6-8W
-77mm
-80mm
-55mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-10-12W
-78mm
-85mm
-75mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-15-18W
-105mm
-110mm
-95mm



LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
RING COLOUR	WHITE/MATT BLACK/GOLD/ROSE GOLD/ CHROME/SILVER / PEARL SHINING BLACK
CRI	80 / 90
BEAM ANGLE	15° / 24° / 36° / 55 °
BODY COLOUR	BLACK / WHITE
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

ALEXA



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



AQUA IP 65



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-7-12W
-70mm
-85mm
-75mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-12-18W
-78mm
-110mm
-95mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-20-30W
-91mm
-135mm
-125mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-36-50W
-106mm
-180mm
-115mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-55-80W
-140mm
-242mm
-220mm

MINI SPOTLIGHT



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-3-5W
-25mm
-62mm
-55mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-7-9W
-28mm
-72mm
-65mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-10-12W
-31mm
-83mm
-75mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-15W
-35mm
-105mm
-95mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
RING COLOUR	WHITE/MATT BLACK/GOLD/ROSE GOLD/ CHROME/SILVER / PEARL SHINING BLACK
CRI	80 / 90
BEAM ANGLE	15° / 24° / 36° / 55°
BODY COLOUR	BLACK / WHITE
LENS	HERCULUX
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY PERIOD: 1 YEAR



OLIVE SPOTLIGHT



WATTAGE -3-7W
HEIGHT -70mm
DIAMETER -38mm
CUTOUT -30mm

WATTAGE -3-7W
HEIGHT -72mm
DIAMETER -40mm
CUTOUT -35mm

WATTAGE -9W
HEIGHT -74mm
DIAMETER -45mm
CUTOUT -40mm

WATTAGE -9W
HEIGHT -74mm
DIAMETER -50mm
CUTOUT -45mm

WATTAGE -10-12W
HEIGHT -72mm
DIAMETER -55mm
CUTOUT -50mm

WATTAGE -10-12W
HEIGHT -72mm
DIAMETER -60mm
CUTOUT -55mm

WATTAGE -15-18W
HEIGHT -95mm
DIAMETER -72mm
CUTOUT -65mm

WATTAGE -15-18W
HEIGHT -95mm
DIAMETER -75mm
CUTOUT -70mm

BELLA SPOTLIGHT



WATTAGE -3W
HEIGHT -60mm
DIAMETER -30mm
CUTOUT -25mm

WATTAGE -6W
HEIGHT -80mm
DIAMETER -40mm
CUTOUT -35mm

WATTAGE -10W
HEIGHT -100mm
DIAMETER -50mm
CUTOUT -45mm

LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
RING COLOUR	WHITE/MATT BLACK/GOLD/ROSE GOLD/ CHROME/SILVER / PEARL SHINING BLACK
CRI	80 / 90
BEAM ANGLE	15° / 24° / 36° / 55°
BODY COLOUR	BLACK / WHITE
LENS	HERCULUX
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



BELLA TRIMLESS SPOTLIGHT



WATTAGE -3W
HEIGHT -60mm
DIAMETER -53mm
CUTOUT -25mm

WATTAGE -6W
HEIGHT -80mm
DIAMETER -65mm
CUTOUT -35mm

WATTAGE -10W
HEIGHT -79mm
DIAMETER -50mm
CUTOUT -45mm

CHAMP TILTABLE SPOTLIGHT



WATTAGE -3-7W
HEIGHT -43mm
DIAMETER -62mm
CUTOUT -25mm

WATTAGE -7-9W
HEIGHT -45mm
DIAMETER -82mm
CUTOUT -75mm

WATTAGE -10-12W
HEIGHT -48mm
DIAMETER -82mm
CUTOUT -75mm

WATTAGE -15-18W
HEIGHT -49mm
DIAMETER -105mm
CUTOUT -75mm

PHANTOM



WATTAGE -7W
HEIGHT -62mm
DIAMETER -61mm
CUTOUT -55mm

WATTAGE -12W
HEIGHT -78mm
DIAMETER -81mm
CUTOUT -75mm

WATTAGE -18W
HEIGHT -90mm
DIAMETER -101mm
CUTOUT -95mm

LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
RING COLOUR	WHITE/MATT BLACK/GOLD/ROSE GOLD/ CHROME/SILVER / PEARL SHINING BLACK
BEAM ANGLE	15° / 24° / 36° / 55°
BODY COLOUR	BLACK / WHITE
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



EXTRA DEEP CONE



WATTAGE -7W
HEIGHT -62mm
DIAMETER -61mm
CUTOUT -55mm

WATTAGE -12W
HEIGHT -78mm
DIAMETER -81mm
CUTOUT -75mm

WATTAGE -18W
HEIGHT -90mm
DIAMETER -101mm
CUTOUT -95mm

SWIFT (HONEYCOMB)



WATTAGE -6-10W
HEIGHT -50mm
DIAMETER -85mm
CUTOUT -75mm

WATTAGE -10-15W
HEIGHT -60mm
DIAMETER -100mm
CUTOUT -92mm

WATTAGE -15-20W
HEIGHT -73mm
DIAMETER -125mm
CUTOUT -115mm

SUNFLOWER



WATTAGE -6-8W
HEIGHT -50mm
DIAMETER -70mm
CUTOUT -65mm

WATTAGE -12-15W
HEIGHT -65mm
DIAMETER -85mm
CUTOUT -75mm

WATTAGE -15-20W
HEIGHT -75mm
DIAMETER -95mm
CUTOUT -90mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
RING COLOUR	WHITE/MATT BLACK/GOLD/ROSE GOLD/ CHROME/SILVER / PEARL SHINING BLACK
BEAM ANGLE	15° / 24° / 36° / 40° / 55°
BODY COLOUR	BLACK / WHITE
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



MINI PULLOUT / TRIMLESS



MINI PULLOUT

WATTAGE	-3W
HEIGHT	-120mm
PIPE DIA	16mm
DIAMETER	-55mm
CUTOUT	-45mm

MINI PULLOUT TRIMLESS

WATTAGE	-3W
HEIGHT	-120mm
PIPE DIA	-16mm
DIAMETER	-65mm
CUTOUT	-50mm

PULLOUT SINGLE



WATTAGE	-8W	WATTAGE	-10W
HEIGHT	-100mm	HEIGHT	-110mm
DIAMETER	-72mm	DIAMETER	-85mm
CUTOUT	-65mm	CUTOUT	-75mm

WATTAGE	-12W
HEIGHT	-120mm
DIAMETER	-98mm
CUTOUT	-100mm

PULLOUT DOUBLE



WATTAGE	-7X2W	WATTAGE	-12X2W
HEIGHT	-100mm	HEIGHT	-120mm
DIAMETER	-135X72mm	DIAMETER	-185X95mm
CUTOUT	-65X125mm	CUTOUT	-175X90mm

LED	BRIDGELUX	CREE	DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA		
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K		
LUMEN EFFICIENCY	120-140 LM / W		
RING COLOUR	WHITE / BLACK / CHROME		
BEAM ANGLE	/ 38° / 40 °		
BODY COLOUR	BLACK / WHITE		
MATERIAL	ALUMINUM DIE CASTING		
REFLECTOR	GR / SHINLAND		



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA PULLOUT LIGHTS



KUNG FU SURFACE

Shape colorful creative

Shaping creative fashion spare



MODEL -2HEAD
WATTAGE -7W
HEIGHT -200mm
DIAMETER -30mm

MODEL -3HEAD
WATTAGE -7W
HEIGHT -200mm
DIAMETER -30mm

MODEL -4HEAD
WATTAGE -7W
HEIGHT -400mm
DIAMETER -30mm

MODEL -6HEAD
WATTAGE -7W
HEIGHT -600mm
DIAMETER -30mm

KUNG FU PULLOUT



MODEL -2HEAD
WATTAGE -7W
HEIGHT -200mm
DIAMETER -85mm
CUTOUT -75mm

MODEL -3HEAD
WATTAGE -7W
HEIGHT -300mm
DIAMETER -85mm
CUTOUT -75mm

MODEL -5HEAD
WATTAGE -7W
HEIGHT -500mm
DIAMETER -85mm
CUTOUT -75mm

MODEL -6HEAD
WATTAGE -7W
HEIGHT -600mm
DIAMETER -85mm
CUTOUT -75mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
RING COLOUR	WHITE / BLACK / CHROME
BEAM ANGLE	12° / 58° STRECH ZOOM
BODY COLOUR	BLACK / WHITE
MATERIAL	ALUMINUM DIE CASTING



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA KUNG FU PULLOUT SURFACE



KUNG FU DOUBLE PULLOUT



MODEL	-2HEAD	MODEL	-3HEAD	MODEL	-4HEAD	MODEL	-5HEAD
WATTAGE	-7W	WATTAGE	-7W	WATTAGE	-7W	WATTAGE	-7W
HEIGHT	-200mm	HEIGHT	-300mm	HEIGHT	-400mm	HEIGHT	-500mm
DIAMETER	-155 X85 mm	DIAMETER	-155 X85 mm	DIAMETER	-155 X85 mm	DIAMETER	-155 X85 mm
CUTOUT	-145 X75mm	CUTOUT	-145X75mm	CUTOUT	-145X75mm	CUTOUT	-145X75mm

MODEL	-6HEAD
WATTAGE	-7W
HEIGHT	-600mm
DIAMETER	-155 X85 mm
CUTOUT	-145X75mm

KUNG FU PULLOUT TRIMLESS



MODEL	-2HEAD	MODEL	-3HEAD	MODEL	-4HEAD	MODEL	-5HEAD	MODEL	-6HEAD
WATTAGE	-7W	WATTAGE	-7W	WATTAGE	-7W	WATTAGE	-7W	WATTAGE	-7W
HEIGHT	-200mm	HEIGHT	-300mm	HEIGHT	-400mm	HEIGHT	-500mm	HEIGHT	-600mm
DIAMETER	-100 mm	DIAMETER	-100 mm	DIAMETER	-100 mm	DIAMETER	-100 mm	DIAMETER	-100 mm
CUTOUT	-70mm	CUTOUT	-70mm	CUTOUT	-70mm	CUTOUT	-70mm	CUTOUT	-70mm

LED	BRIDGELUX	CREE	DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA		
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K		
LUMEN EFFICIENCY	120-140 LM / W		
RING COLOUR	WHITE / BLACK / CHROME		
BEAM ANGLE	12° / 58° STRECH ZOOM		
BODY COLOUR	BLACK / WHITE		
MATERIAL	ALUMINUM DIE CASTING		



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

KUNG FU PULLOUT TRIMLESS



KUNG FU TRACKLIGHT



MODEL
WATTAGE
HEIGHT
DIAMETER

-2HEAD
-7W
-200mm
-30 mm

MODEL
WATTAGE
HEIGHT
DIAMETER

-3HEAD
-7W
-300mm
-30 mm

MODEL
WATTAGE
HEIGHT
DIAMETER

-4HEAD
-7W
-400mm
-30 mm

MODEL
WATTAGE
HEIGHT
DIAMETER

-5HEAD
-7W
-500mm
-30 mm

MODEL
WATTAGE
HEIGHT
DIAMETER

-6HEAD
-7W
-600mm
-30 mm

KUNG FU SURFACE CYLINDER



MODEL
WATTAGE
PIPE HEIGHT
PIPE DIA
SURFACE HEIGHT
SURFACE DIA

-2HEAD
-7W
-200mm
-30 mm
-110mm
-75mm

MODEL
WATTAGE
PIPE HEIGHT
PIPE DIA
SURFACE HEIGHT
SURFACE DIA

-3HEAD
-7W
-300mm
-30 mm
-110mm
-75mm

MODEL
WATTAGE
PIPE HEIGHT
PIPE DIA
SURFACE HEIGHT
SURFACE DIA

-4HEAD
-7W
-400mm
-30 mm
-110mm
-75mm

MODEL
WATTAGE
PIPE HEIGHT
PIPE DIA
SURFACE HEIGHT
SURFACE DIA

-5HEAD
-7W
-500mm
-30 mm
-110mm
-75mm

MODEL
WATTAGE
PIPE HEIGHT
PIPE DIA
SURFACE HEIGHT
SURFACE DIA

-6HEAD
-7W
-600mm
-30 mm
-110mm
-75mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
RING COLOUR
BEAM ANGLE
BODY COLOUR
MATERIAL



PHILIPS / FULHAM / OSRAM / SHIKSHA
2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
120-140 LM / W
WHITE / BLACK / CHROME
12° / 58° STRECH ZOOM
BLACK / WHITE
ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

alexa

google

home

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



ASTRO PULLOUT



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-3W
-252mm
-62mm
-55mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-8W
-252mm
-62mm
-55mm

LAZER BLADE DOWN LIGHT



MODEL NO
WATTAGE
CUTOUT
SIZE

-LZ 01
-2-3 W
-37 X37mm
-OUTER TRIM 45 X45mm

MODEL NO
WATTAGE
CUTOUT
SIZE

-LZ 02
-4-6 W
-68 X 37mm
-OUTERTRIM 75 X45mm

MODEL NO
WATTAGE
CUTOUT
SIZE

-LZ 05
-10-15 W
-140X 37mm
-OUTERTRIM 147 X45mm

New 5 Way Leaser Reflectors



LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 3500K / 4000K / 5000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
REFLECTOR COLOUR	BLACK/ ROSE GOLD
REFLECTOR	INDIAN /GR
BODY COLOUR	BLACK / WHITE
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



DOUBLE TILTABLE LASER BLADE



MODEL -6 WAY X2
WATTAGE -20W
HEIGHT -44mm
DIAMETER -147X100mm
CUTOUT -138X90mm



MODEL -12WAY X2
WATTAGE -40W
HEIGHT -44mm
DIAMETER -261X100 mm
CUTOUT -252X90mm

LASER PRO

New 5 Way Leaser Pro Reflectors



LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36°
REFLECTOR COLOUR	BLACK
BODY COLOUR	BLACK / WHITE
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY PERIOD: 5 YEARS



DELTA SPOT LIGHT



MODEL
WATTAGE
SIZE
CUTOUT SIZE

-CHC7
-7W
-69X70mm
-65mm

MODEL
WATTAGE
SIZE
CUTOUT SIZE

-CHC12
-12W
-83X80mm
-75mm

MODEL
WATTAGE
SIZE
CUTOUT SIZE

-CHC18
-18W
-100X95mm
-90mm

DEEP CONE SPOT LIGHT



MODEL
WATTAGE
SIZE
CUTOUT SIZE

-CHC7
-6W
-40X55mm
-35mm

MODEL
WATTAGE
SIZE
CUTOUT SIZE

-CHC12
-12W
-59X82mm
-55mm

MODEL
WATTAGE
SIZE
CUTOUT SIZE

-CHC18
-18W
-74X93mm
-70mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	SHINLAND/ INDIAN
REFLECTOR COLOUR	BLACK
BODY COLOUR	BLACK / WHITE
BODY COVER COLOUR	WHITE/BLACK/GREY/ELECTROPLASTING ROSE GOLD/ WHITE GOLD / WHITE GREY /CHROME/ SHINING BLACL ETC.
MATERIAL	ALUMINUM DIE CASTING
HEATSINK COLOUR	GREY



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

ALEXA

GOOGLE

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY POLICY



FB VALUE SPOT LIGHT



WATTAGE -3W
HEIGHT -44mm
DIAMETER -46mm
CUTOUT -39mm

WATTAGE -7W
HEIGHT -65mm
DIAMETER -75 mm
CUTOUT -65mm

WATTAGE -12W
HEIGHT -85mm
DIAMETER -74mm
CUTOUT -75mm

WATTAGE -18W
HEIGHT -95mm
DIAMETER -93mm
CUTOUT -85mm

FB CURVE SPOT LIGHT



WATTAGE -3W
HEIGHT -44mm
DIAMETER -46mm
CUTOUT -39mm

WATTAGE -7W
HEIGHT -57mm
DIAMETER -75 mm
CUTOUT -65mm

WATTAGE -12W
HEIGHT -65mm
DIAMETER -85mm
CUTOUT -75mm

WATTAGE -18W
HEIGHT -82mm
DIAMETER -95mm
CUTOUT -85mm

FB EXTRA DEEP CONE SPOT LIGHT



MODEL NO -EXTRA3
WATTAGE -3W
HEIGHT -60mm
DIAMETER -40mm
CUTOUT -38mm

MODEL NO -EXTRA6
WATTAGE -6W
HEIGHT -60mm
DIAMETER -40mm
CUTOUT -38mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
LED BEAM ANGLE
REFLECTOR
RING COLOUR
MATERIAL
HEATSINK COLOUR
SHINLAND LENS

BRIDGELUX
CREE
DISON

PHILIPS / FULHAM / OSRAM / SHIKSHA
2700K / 3000K / 4000K / 6500 K
120-140 LM / W
15°/ 24° / 36° / 60°
SHINLAND/ INDIAN
BLACK / WHITE/ GREY
ALUMINUM DIE CASTING
BLACK
7W / 12W -40°



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



DELTA PRO



WATTAGE -12W
HEIGHT -76mm
DIAMETER -84mm
CUTOUT -75mm

WATTAGE -15W
HEIGHT -76mm
DIAMETER -84 mm
CUTOUT -75mm

FB DELTA SPOT LIGHT



MODEL NO -DELTA7
WATTAGE -6-8W
HEIGHT -65mm
DIAMETER -74mm
CUTOUT -65mm

MODEL NO -DELTA12
WATTAGE -10-12W
HEIGHT -76mm
DIAMETER -84mm
CUTOUT -75mm

MODEL NO -DELTA18
WATTAGE -15-18W
HEIGHT -94mm
DIAMETER -100mm
CUTOUT -88mm

LED	BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	15°/24°/36°/60°
REFLECTOR	SHINLAND/INDIAN
RING COLOUR	BLACK / WHITE/ GREY/GLOSSY SHINING BLACK/ARMY GREEN / CHOCOLATE
MATERIAL	ALUMINUM DIE CASTING
HEATSINK COLOUR	BLACK
SHINLAND LENS	7W / 12W -40°



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE





#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING



FB SQUARE SPOT LIGHT



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-7W
-61mm
-74mm
-54mm



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-12W
-68mm
-84mm
-63mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-18W
-81mm
-94 mm
-68mm

FB FLAT SPOT LIGHT



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-7W
-44mm
-63mm
-52mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-12W
-52mm
-74mm
-63mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-18W
-63mm
-77mm
-66mm

LED	BRIDGELUX CREE DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	15° / 24° / 36° / 60°
REFLECTOR	SHINLAND / INDIAN
RING COLOUR	BLACK / WHITE / GREY
	ALUMINUM DIE CASTING
MATERIAL	BLACK
HEATSINK COLOUR	7W / 12W -40°
SHINLAND LENS	



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



FB TRIM LESS SPOT LIGHT



WATTAGE	-12W	WATTAGE	-15W
HEIGHT	-83mm	HEIGHT	-83mm
DIAMETER	-82mm	DIAMETER	-82mm
CUTOUT	-82mm	CUTOUT	-82mm

FB PLUTO SPOT LIGHT



WATTAGE	-7W	WATTAGE	-12W	WATTAGE	-18W
HEIGHT	-51mm	HEIGHT	-72mm	HEIGHT	-80mm
DIAMETER	-64mm	DIAMETER	-87mm	DIAMETER	-100mm
CUTOUT	-55mm	CUTOUT	-75mm	CUTOUT	-95mm

FB WALL WASHER SPOT LIGHT



WATTAGE	-12W	WATTAGE	-15W
HEIGHT	-74mm	HEIGHT	-74mm
DIAMETER	-85mm	DIAMETER	-85mm
CUTOUT	-75mm	CUTOUT	-75mm

LED	BRIDGELUX CREE DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	15° / 24° / 36° / 60°
REFLECTOR	SHINLAND / INDIAN
RING COLOUR	BLACK / WHITE / GREY / CHROME

MATERIAL	ALUMINUM DIE CASTING
HEATSINK COLOUR	BLACK
SHINLAND LENS	7W / 12W -40°



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



RIO FIX DOWN LIGHT



MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-RIO 12
-12-15W
-68mm
-82mm
-72mm

MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-RIO 20
-15-22W
-88mm
-106mm
-96mm


MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-RIO 30
-25-30W
-100mm
-114mm
-107mm

MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-RIO 40
-36-40W
-110mm
-119mm
-114mm

MASH FIX DOWN LIGHT



MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-FIX 7
-6-8W
-70mm
-70mm
-60mm

MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-FIX 10
-10-12W
-74mm
-80mm
-70mm

MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-FIX 20
-15-22W
-106mm
-120mm
-108mm

MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-RIO 40
-25-30W
-120mm
-159mm
-145mm

MODEL NO
WATTAGE
HEIGHT
DIAMETER
CUTOUT

-FIX 50
-40-50W
-127mm
-187mm
-170mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
LED BEAM ANGLE
REFLECTOR
RING COLOUR
MATERIAL
HEATSINK COLOUR
SHINLAND LENS

BRIDGELUX
CREE
DISON
PHILIPS / FULHAM / OSRAM / SHIKSHA
2700K / 3000K / 4000K / 6500 K
120-140 LM / W
24° / 36° / 60°
DARK00/ INDIAN
BLACK / WHITE/ GREY/CHROME
ALUMINUM DIE CASTING
BLACK
7W / 12W -40°



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING



MASH MOVEABLE DOWN LIGHT



MODEL NO	-MASH3	MODEL NO	-MASH8	MODEL NO	-MASH10	MODEL NO	-MASH12
WATTAGE	-3-4W	WATTAGE	-6-8W	WATTAGE	-10-12W	WATTAGE	-12-15W
HEIGHT	-38mm	HEIGHT	-55mm	HEIGHT	-54mm	HEIGHT	-120mm
DIAMETER	-56mm	DIAMETER	-74mm	DIAMETER	-81mm	DIAMETER	-159mm
CUTOUT	-48mm	CUTOUT	-64mm	CUTOUT	-70mm	CUTOUT	-79mm

MODEL NO	-MASH20	MODEL NO	-MASH30	MODEL NO	-MASH40	MODEL NO	-MASH12
WATTAGE	-15-20W	WATTAGE	-22-30W	WATTAGE	-36-40W	WATTAGE	-40-50W
HEIGHT	-79mm	HEIGHT	-79mm	HEIGHT	-84mm	HEIGHT	-84mm
DIAMETER	-114mm	DIAMETER	-137mm	DIAMETER	-155mm	DIAMETER	-155mm
CUTOUT	-104mm	CUTOUT	-125mm	CUTOUT	-145mm	CUTOUT	-145mm

MASH DEEP MOVEABLE DOWN LIGHT



MODEL NO	-MDEEP3	MODEL NO	-MDEEP7	MODEL NO	-MDEEP12	MODEL NO	-MDEEP20
WATTAGE	-3-4W	WATTAGE	-6-8W	WATTAGE	-10-12W	WATTAGE	-15-22W
HEIGHT	-54mm	HEIGHT	-75mm	HEIGHT	-78mm	HEIGHT	-111mm
DIAMETER	-58mm	DIAMETER	-90mm	DIAMETER	-103mm	DIAMETER	-138mm
CUTOUT	-48mm	CUTOUT	-80mm	CUTOUT	-93mm	CUTOUT	-125mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



WIFI

BT

ALEXA

GOOGLE

#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



MOVEABLE DOWN LIGHT



ROUND MOVEABLE DOWNLIGHT

MODEL NO	-M03	MODEL NO	-M08	MODEL NO	-M012	MODEL NO	-M018
WATTAGE	-3-4W	WATTAGE	-6-8W	WATTAGE	-10-12W	WATTAGE	-15-20W
HEIGHT	-40mm	HEIGHT	-58mm	HEIGHT	-70mm	HEIGHT	-70mm
DIAMETER	-70mm	DIAMETER	-102mm	DIAMETER	-102mm	DIAMETER	-125mm
CUTOUT	-62mm	CUTOUT	-86mm	CUTOUT	-86mm	CUTOUT	-110mm

MODEL NO	-M030	MODEL NO	-M040	MODEL NO	-M050
WATTAGE	-22-30W	WATTAGE	-36-40W	WATTAGE	-40-50W
HEIGHT	-85mm	HEIGHT	-85mm	HEIGHT	-85mm
DIAMETER	-148mm	DIAMETER	-170mm	DIAMETER	-170mm
CUTOUT	-132mm	CUTOUT	-154mm	CUTOUT	-154mm

SQUARE MOVEABLE DOWNLIGHT

MODEL NO	-M03	MODEL NO	-M08	MODEL NO	-M012	MODEL NO	-M018
WATTAGE	-3-4W	WATTAGE	-6-8W	WATTAGE	-10-12W	WATTAGE	-15-20W
HEIGHT	-40mm	HEIGHT	-58mm	HEIGHT	-70mm	HEIGHT	-70mm
DIAMETER	-62mm	DIAMETER	-102mm	DIAMETER	-102mm	DIAMETER	-125mm
CUTOUT	-55X55mm	CUTOUT	-86X86mm	CUTOUT	-86X86mm	CUTOUT	-110X110mm


MODEL NO	-M030	MODEL NO	-M040	MODEL NO	-M050
WATTAGE	-22-30W	WATTAGE	-36-40W	WATTAGE	-40-50W
HEIGHT	-85mm	HEIGHT	-85mm	HEIGHT	-85mm
DIAMETER	-148mm	DIAMETER	-170mm	DIAMETER	-170mm
CUTOUT	-132X132mm	CUTOUT	-154X154mm	CUTOUT	-154X154mm

FB MOVEABLE DOWN LIGHT



MODEL NO	-FB15	MODEL NO	-FB20	MODEL NO	-FB25	MODEL NO	-FB30
WATTAGE	-15W	WATTAGE	-20W	WATTAGE	-25W	WATTAGE	-30W
HEIGHT	-78mm	HEIGHT	-78MM	HEIGHT	-93mm	HEIGHT	-93mm
DIAMETER	-124mm	DIAMETER	-124MM	DIAMETER	-130mm	DIAMETER	-130mm
CUTOUT	-110mm	CUTOUT	-110MM	CUTOUT	-116mm	CUTOUT	-116mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

HUMAN TOUCH LIGHTING



MAZE MODULE



WATTAGE -3-7W
HEIGHT -53mm

WATTAGE -10-12W
HEIGHT -63mm

WATTAGE -15W
HEIGHT -78mm

PHILIPS LED DISK DOWN LIGHTS



MODEL NO -LE111-RTD
WATTAGE -11W
HEIGHT -115mm
DIAMETER -160mm
CUTOUT -135mm



MODEL NO -LE111-SS
WATTAGE -11W
HEIGHT -115mm
DIAMETER -160mm
CUTOUT -135mm



MODEL NO -LE222-SQ-SS
WATTAGE -11W
HEIGHT -115mm
DIAMETER -160mm
CUTOUT -135mm



MODEL NO -LE008-CD-MR
WATTAGE -7W
HEIGHT -115mm
DIAMETER -103mm
CUTOUT -98mm



MODEL NO -LE333
WATTAGE -11W
HEIGHT -65mm
DIAMETER -103mm
CUTOUT -95mm



MODEL NO -DLMFA
WATTAGE -14W
HEIGHT -115mm
DIAMETER -160mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
LUMEN	800/850/900/1000LM



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE




#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY POLICY



FB 12W X 1 / 12W X 2 GIMBAL DOWN LIGHT



FB SINGLE GIMBAL

MODEL NO	-FB6
WATTAGE	-6W
HEIGHT	-77mm
DIAMETER	-120mm
CUTOUT	-103X103mm

MODEL NO	-FB12
WATTAGE	-12W
HEIGHT	-77mm
DIAMETER	-120mm
CUTOUT	-103X103mm

FB DOUBLE GIMBAL

MODEL NO	-FBX12
WATTAGE	-6X6W
HEIGHT	-77mm
DIAMETER	-120X220mm
CUTOUT	-103X195mm

MODEL NO	-FBX24
WATTAGE	-12X12W
HEIGHT	-93mm
DIAMETER	-120X220mm
CUTOUT	-130X195mm

FB 12W X 3 GIMBAL DOWN LIGHT



FB TRIPLE GIMBAL

MODEL NO	-FBX18
WATTAGE	-6+6+6W
HEIGHT	-77mm
DIAMETER	-120x313mm
CUTOUT	-103X288mm

MODEL NO	-FB36
WATTAGE	-12+12+12W
HEIGHT	-77mm
DIAMETER	-120X313mm
CUTOUT	-103X103mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING



FB 25 / 30 GIMBAL DOWN LIGHT



FB SINGLE GIMBAL



FB DOUBLE GIMBAL

MODEL NO	-FB25
WATTAGE	-25W
HEIGHT	-100mm
DIAMETER	-136mm
CUTOUT	-125X125mm

MODEL NO	-FB30
WATTAGE	-30W
HEIGHT	-100mm
DIAMETER	-136mm
CUTOUT	-125X125mm

MODEL NO	-FB50	MODEL NO	-FB60
WATTAGE	-25+25W	WATTAGE	-30+30W
HEIGHT	-100mm	HEIGHT	-100mm
DIAMETER	-136X259mm	DIAMETER	-136X259mm
CUTOUT	-125X238mm	CUTOUT	-125X238mm

FB 30X3 GIMBAL DOWN LIGHT



FB TRIPLE GIMBAL

MODEL NO	-FB75	MODEL NO	-FB90
WATTAGE	-25+25+25W	WATTAGE	-30+30+30W
HEIGHT	-100mm	HEIGHT	-100mm
DIAMETER	-374X136mm	DIAMETER	-136X259mm
CUTOUT	-353X125mm	CUTOUT	-353X125mm

FB 30X4 GIMBAL DOWN LIGHT

FB FOUR GIMBAL



MODEL NO	-FB75	MODEL NO	-FB90
WATTAGE	-25+25+25W	WATTAGE	-30+30+30+30W
HEIGHT	-115mm	HEIGHT	-115mm
DIAMETER	-295X295mm	DIAMETER	-295X295mm
CUTOUT	-274x274mm	CUTOUT	-274x274mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



GB 25/30 GIMBAL DOWN LIGHT



MODEL NO -GB25
WATTAGE -25W
HEIGHT -96mm
CUTOUT -156x156mm

MODEL NO -GB30
WATTAGE -30W
HEIGHT -96mm
CUTOUT -156x156mm

MODEL NO -GB50
WATTAGE -25+25W
HEIGHT -98mm
CUTOUT -156x309mm

MODEL NO -GB60
WATTAGE -30+30W
HEIGHT -96mm
CUTOUT -156x156mm

DUKE GIMBAL



WATTAGE -7W
W X L -65X65mm
HEIGHT -52mm
CUTOUT -55X55mm

WATTAGE -7x2W
W X L -65X126mm
HEIGHT -52mm
CUTOUT -55X155mm

WATTAGE -7x3W
W X L -65X187mm
HEIGHT -52mm
CUTOUT -55X175mm

WATTAGE -7x4W
W X L -126X126mm
HEIGHT -52mm
CUTOUT -55X115mm

WATTAGE -12W
W X L -85X85mm
HEIGHT -63mm
CUTOUT -75X75mm

WATTAGE -12x2W
W X L -85X167mm
HEIGHT -63mm
CUTOUT -75X160mm

WATTAGE -12x3W
W X L -85X252mm
HEIGHT -63mm
CUTOUT -75X240mm

WATTAGE -12x4W
W X L -165X165mm
HEIGHT -63mm
CUTOUT -150X150mm

WATTAGE -20X2W
W X L -105X208mm
HEIGHT -77mm
CUTOUT -95X150mm

WATTAGE -20W
W X L -105X105mm
HEIGHT -77mm
CUTOUT -95X150mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 40° / 60°
REFLECTOR	DARKOO/GR
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



ZOOM LIGHT



MODEL NO	-ZOOM10	MODEL NO	-ZOOM20	MODEL NO	-ZOOM30	MODEL NO	-ZOOM40
WATTAGE	-6-10W	WATTAGE	-15-25W	WATTAGE	-25-30W	WATTAGE	-30-40W
HEIGHT	-95mm	HEIGHT	-110mm	HEIGHT	-136mm	HEIGHT	-123mm
DIAMETER	-109mm	DIAMETER	-132mm	DIAMETER	-145mm	DIAMETER	-165mm
CUTOUT	-100mm	CUTOUT	-125mm	CUTOUT	-136mm	CUTOUT	-145mm

ZOOM GIMBAL



ZOOM SINGLE GIMBAL

WATTAGE	-25W	WATTAGE	-30W
HEIGHT	-110mm	HEIGHT	-110mm
DIAMETER	-140mm	DIAMETER	-140mm
CUTOUT	-132mm	CUTOUT	-132mm

ZOOM DOUBLE GIMBAL

WATTAGE	-25+25W	WATTAGE	-30+30W
HEIGHT	-110mm	HEIGHT	-110mm
DIAMETER	-140X280mm	DIAMETER	-140X280mm
CUTOUT	-260X132mm	CUTOUT	-260X132mm

LED	BRIDGELUX	CREE	DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA		
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K		
LUMEN EFFICIENCY	120-130 LM / W		
LED BEAM ANGLE	24° / 36° / 40° / 60°		
REFLECTOR	DARKOO/ INDIAN		
MATERIAL	ALUMINUM DIE CASTING		
BODY COLOUR	WHITE/BLACK		
RING COLOUR	BLACK		
INPUT VOLTAGE	220-240		
POWER FACTOR	>0.95		
DRIVER EFFICIENCY	>0.85		



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



MOON SURFACE PANEL



WATTAGE -12W
HEIGHT -50mm
DIAMETER -140mm

WATTAGE -15W
HEIGHT -50mm
DIAMETER -140mm

WATTAGE -18W
HEIGHT -50mm
DIAMETER -140mm

WATTAGE -22W
HEIGHT -50mm
DIAMETER -140mm

WATTAGE -24-28W
HEIGHT -50mm
DIAMETER -170mm

SMD SURFACE DOWN LIGHT



WATTAGE -6W
HEIGHT -65mm
DIAMETER -80mm

WATTAGE -12W
HEIGHT -65mm
DIAMETER -90mm

WATTAGE -15W
HEIGHT -60mm
DIAMETER -100mm

WATTAGE -18W
HEIGHT -60mm
DIAMETER -120mm

DEEP DOWN LIGHT PANEL



MODEL NO -DDL RO 12
WATTAGE -12W
OUTER SIZE -120mm
CUTOUT -110mm

MODEL NO -DDL RO 18
WATTAGE -18W
OUTER SIZE -148mm
CUTOUT -138mm

MODEL NO -DDL RO 22
WATTAGE -22W
OUTER SIZE -170mm
CUTOUT -160mm



MODEL NO -DDL SO 12
WATTAGE -12W
OUTER SIZE -110x110mm
CUTOUT -100x100mm

MODEL NO -DDL SQ 18
WATTAGE -18W
OUTER SIZE -143x143mm
CUTOUT -133x133mm

MODEL NO -DDL RO 22
WATTAGE -22W
OUTER SIZE -165x165mm
CUTOUT -155x155mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
MATERIAL

BRIDGELLUX
CREE
DISON
PHILIPS / FULHAM / OSRAM / SHIKSHA
2700K / 3000K / 4000K / 6500 K
100 LM / W
ALUMINUM DIE CASTING



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



SQUARE PANEL LIGHTS



MODEL NO	-SQ8	MODEL NO	-SQ12	MODEL NO	-SQ18	MODEL NO	-SQ24
WATTAGE	-8W	WATTAGE	-12W	WATTAGE	-18W	WATTAGE	-24W
DIAMETER	-120mm	DIAMETER	-145mm	DIAMETER	-170mm	DIAMETER	-194mm
CUTOUT	-100X100mm	CUTOUT	-125X125mm	CUTOUT	-150X150mm	CUTOUT	-175X175mm

ROUND PANEL LIGHTS



MODEL NO	-RO8	MODEL NO	-RO12	MODEL NO	-RO18	MODEL NO	-RO24
WATTAGE	-8W	WATTAGE	-12W	WATTAGE	-18W	WATTAGE	-24W
DIAMETER	-120mm	DIAMETER	-145mm	DIAMETER	-170mm	DIAMETER	-195mm
CUTOUT	-100mm	CUTOUT	-125mm	CUTOUT	-150X150mm	CUTOUT	-175mm

RO BIG SURFACE PANEL LIGHTS



WATTAGE	-8W	WATTAGE	-12W	WATTAGE	-18W	WATTAGE	-24W
DIAMETER	-107mm	DIAMETER	-133mm	DIAMETER	-184mm	DIAMETER	-184mm
HEIGHT	-67mm	HEIGHT	-67mm	HEIGHT	-67mm	HEIGHT	-67mm

LED	BRIDGELUX / CREE / DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	100 LM / W
MATERIAL	ALUMINUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



TRACKLIGHT



2022 TRACKLIGHT



WATTAGE -6-10W
DIAMETER -50mm
HEIGHT -135mm

WATTAGE -15-20W
DIAMETER -60mm
HEIGHT -150mm

WATTAGE -25-30W
DIAMETER -80mm
HEIGHT -180mm

WATTAGE -30-40W
DIAMETER -80mm
HEIGHT -195mm

2022 TRACKLIGHT COLOUR RING



WATTAGE -25-30W
DIAMETER -80mm
HEIGHT -180mm

GLORIA TRACKLIGHT



WATTAGE -15-24W
DIAMETER -70mm
HEIGHT -150mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 40° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA TRACKLIGHTS



FB TRACK WITH ARM



WATTAGE -20W/30W/40W

FB TRACK



WATTAGE -20W/30W/40W

CONCEALED TRACKLIGHT



WATTAGE -10W/20W/30W/40W
DIAMETER -50mm/60mm/80mm
HEIGHT 135mm/150mm/180mm/195mm

2022 CONCEALED TRACK COLOUR RING



WATTAGE -30W
DIAMETER -80mm
HEIGHT -180mm

TILTABLE TRACK LIGHT



WATTAGE -10W
DIAMETER -80mm
HEIGHT -90mm

WATTAGE -12W
DIAMETER -80mm
HEIGHT -90mm

WATTAGE -15W
DIAMETER -80mm
HEIGHT -90mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 40° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME
CHANNEL	2/3 WIRE



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



TILTABLE CONCEALED LIGHT



WATTAGE
HEIGHT
DIAMETER
CUTOUT

-10W
-79mm
-80mm
-95mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-12W
-79mm
-80mm
-95mm

WATTAGE
HEIGHT
DIAMETER
CUTOUT

-15W
-79mm
-80mm
-95mm

TILTABLE SURFACE LIGHT



WATTAGE
HEIGHT
DIAMETER

-10W
-90mm
-80mm

WATTAGE
HEIGHT
DIAMETER

-12W
-90mm
-80mm

WATTAGE
HEIGHT
DIAMETER

-15W
-90mm
-80mm

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 40° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME
CHANNEL	2/3 WIRE



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



2022 WALL LIGHT



WATTAGE -10W
HEIGHT -135mm
DIAMETER -50mm



WATTAGE -20W
HEIGHT -150mm
DIAMETER -60mm

WATTAGE -30W
HEIGHT -180mm
DIAMETER -80mm

WATTAGE -40W
HEIGHT -195mm
DIAMETER -80mm

2022 WALL LIGHT COLOUR RING



WATTAGE -25W
HEIGHT -180mm
DIAMETER -80mm

WATTAGE -30W
HEIGHT -180mm
DIAMETER -80mm

LED	
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	130 LM / W  
LED BEAM ANGLE	24° / 36° / 40° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME
CHANNEL	2/3 WIRE



RF 2.4G 

TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



GLORIA WALL LIGHT



WATTAGE
HEIGHT
DIAMETER

-18W
-150mm
-70mm

WATTAGE
HEIGHT
DIAMETER

-20W
-150mm
-70mm

WATTAGE
HEIGHT
DIAMETER

-24W
-150mm
-70mm

GLORIA SURFACE



WATTAGE
HEIGHT
DIAMETER

-7W
-80mm
-50mm

WATTAGE
HEIGHT
DIAMETER

-7W
-50mm
-105mm

WATTAGE
HEIGHT
DIAMETER

-12W
-110mm
-70mm

WATTAGE
HEIGHT
DIAMETER

-15-24W
-150mm
-93mm

WATTAGE
HEIGHT
DIAMETER

-24W
-150mm
-93mm

WATTAGE
HEIGHT
DIAMETER

-30-40W
-180mm
-93mm

WATTAGE
HEIGHT
DIAMETER

-25-30W
-150mm
-115mm

WATTAGE
HEIGHT
DIAMETER

-30-40W
-180mm
-115mm

WATTAGE
HEIGHT
DIAMETER

-40-50W
-200mm
-115mm

LED



DRIVER

PHILIPS / FULHAM / OSRAM / SHIKSHA

COLOUR TEMP

2700K / 3000K / 4000K / 6500 K

LUMEN EFFICIENCY

120-140 LM / W

LED BEAM ANGLE

24° / 36° / 40° / 60°

REFLECTOR

DARKOO/ INDIAN

MATERIAL

ALUMINUM DIE CASTING

BODY COLOUR

WHITE/BLACK

RING COLOUR

BLACK/WHITE/ROSE GOLD/CHROME



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING PRIVATE LIMITED



2022 SURFACE



Customize Size

WATTAGE	-10W	WATTAGE	-20W	WATTAGE	-30W	WATTAGE	-30W
HEIGHT	-200mm	HEIGHT	-130mm	HEIGHT	-150mm	HEIGHT	-100mm
DIAMETER	-50mm	DIAMETER	-105mm	DIAMETER	-90mm	DIAMETER	-90mm
WATTAGE	-30W	WATTAGE	-40-50W	WATTAGE	-40-50W	WATTAGE	-40-50W
HEIGHT	-150mm	HEIGHT	-200mm	HEIGHT	-190mm	HEIGHT	-190mm
DIAMETER	-100mm	DIAMETER	-90mm	DIAMETER	-100mm	DIAMETER	-100mm

2022 SURFACE COLOUR RING



WATTAGE	-25W	WATTAGE	-30W
HEIGHT	-180mm	HEIGHT	-80mm
DIAMETER	-80mm	DIAMETER	-180mm

LED	BRIDGELUX	CREE	EDISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA		
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K		
LUMEN EFFICIENCY	120-140 LM / W		
LED BEAM ANGLE	24° / 36° / 40° / 60°		
REFLECTOR	DARKOO / INDIAN		
MATERIAL	ALUMINUM DIE CASTING		
BODY COLOUR	WHITE/BLACK		
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME		



CANNOPY HANGING
AVAILABLE IN WHITE / BLACK



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WHILE IT'S HOT, IT'S HOTTER



IP 65 SURFACE



WATTAGE	-7W	WATTAGE	-10W
HEIGHT	-105mm	HEIGHT	-90mm
DIAMETER	-50mm	DIAMETER	-60mm
WATTAGE	-18W	WATTAGE	-30W
HEIGHT	-150mm	HEIGHT	-195mm
DIAMETER	-60mm	DIAMETER	-80mm

VENUS TILTABLE SURFACE



WATTAGE	-25W	WATTAGE	-30W
HEIGHT	-180mm	HEIGHT	-80mm
DIAMETER	-80mm	DIAMETER	-180mm

LED	BRIDGELUX CREE+ EDISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	24° / 36° / 40° / 60°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY PERIOD: 5 YEARS



SURFACE SQUARE COB



MODEL NO	-SQ12	MODEL NO	-SQ12X2	MODEL NO	-SQ12X3
WATTAGE	-12W	WATTAGE	-12WX2	WATTAGE	-12WX3
DIAMETER	-74X74mm	DIAMETER	-74X143mm	DIAMETER	-74X213mm
HEIGHT	-95mm	HEIGHT	-95mm	HEIGHT	-95mm

SFR SURFACE ROUND COB



MODEL NO	-SFR7	MODEL NO	-SFR10	MODEL NO	-SFR12	MODEL NO	-SFR15	MODEL NO	-SFR18
WATTAGE	-7W	WATTAGE	-10W	WATTAGE	-12W	WATTAGE	-15W	WATTAGE	-18W
DIAMETER	-80mm	DIAMETER	-80mm	DIAMETER	-80mm	DIAMETER	-80mm	DIAMETER	-80mm
HEIGHT	-110mm	HEIGHT	-150mm	HEIGHT	-180mm	HEIGHT	-180mm	HEIGHT	-180mm

LED	BRIDGELUX CREE+ EDISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	40°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



SURFACE COB



MODEL NO -SF10
WATTAGE -10W
DIAMETER -87mm
HEIGHT -80mm

MODEL NO -SF12
WATTAGE -12W
DIAMETER -90mm
HEIGHT -110mm

MODEL NO -SF15
WATTAGE -15W
DIAMETER -90mm
HEIGHT -110mm

MODEL NO -SF18
WATTAGE -18W
DIAMETER -90mm
HEIGHT -110mm

MODEL NO -SF25
WATTAGE -25W
DIAMETER -127mm
HEIGHT -137mm

MODEL NO -SF30
WATTAGE -30W
DIAMETER -127mm
HEIGHT -137mm

MODEL NO -SF35
WATTAGE -35W
DIAMETER -127mm
HEIGHT -137mm

MODEL NO -SF40
WATTAGE -40-50W
DIAMETER -127mm
HEIGHT -205mm

FB CURVE SURFACE



MODEL NO -SF CUR10
WATTAGE -12W
DIAMETER -89mm
HEIGHT -115mm

MODEL NO -SF CUR10
WATTAGE -15W
DIAMETER -89mm
HEIGHT -115mm

MODEL NO -SF CUR10
WATTAGE -18W
DIAMETER -89mm
HEIGHT -115mm

LED	BRIDGELUX / CREE+ / EDISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED BEAM ANGLE	40°
REFLECTOR	DARKOO/ INDIAN
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



LLM SURFACE



MODEL NO	-SFLLM21
WATTAGE	-21W
DIAMETER	-300mm
HEIGHT	-50mm

PHILIPS LED DISK SURFACE



MODEL NO	-LE666
WATTAGE	-11W
DIAMETER	-90mm
HEIGHT	-100mm

LED	BRIDGELUX CREE+ EDISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	1800 LM / W
LED BEAM ANGLE	85°/160°
POWER FACTOR	>0.95
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
RING COLOUR	BLACK/WHITE/ROSE GOLD/CHROME



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY: 5 YEARS / 50,000 HOURS



LINEA



MODEL NO -HL 5275
WATTAGE -36W/50W/60W
DIMENSIONS -1195X145.0X81mm HT
WEIGHT -3.2KG



MODEL NO -HL 5035(50mm)
WATTAGE -30W/40W/50W
DIMENSIONS -1180X50.0X80mm HT
WEIGHT -2.8 KG



MODEL NO -HL 7070 (70mm)
WATTAGE -30W/40W/50W
DIMENSIONS -1180X50.0X80mm H
WEIGHT -2.8 KG



LED	BRIDGELUX CREE+ EDISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	/ 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	CC100 LM / W, CV80 LM/W
RANGE	2FT/4FT/8FT
MATERIAL	ALUMINUM DIE CASTING
DIFFUSER	PMMA
IP RATING	IP 20



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

www.shiksha.com | 020-26111111 | 020-26111112



HANGING LIGHT

HANGING LIGHT

CONE



WATTAGE
HEIGHT
DIAMETER

-7W
-295mm
-145mm

RIO



WATTAGE
HEIGHT
DIAMETER

-11W
-285mm
-145mm

PRO



WATTAGE
HEIGHT
DIAMETER

-11W
-285mm
-165mm



LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 5000 K
LUMEN EFFICIENCY	900/300 LM / W
LED BEAM ANGLE	36°/85°
MATERIAL	ALUMINUM DIE CASTING
IP RATING	IP20
POWER FACTOR	>0.95
INNER FINISH	GOLD/SILVER



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample





2X2 LED PANEL



MODEL NO -001/35mm
WATTAGE -36W/40W/45W



MODEL NO -002
WATTAGE -32W/40W

LED	BRIDGELLUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 5000 K
LUMEN EFFICIENCY	100/2300/3400 LM / W
IP RATING	IP20



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



CLEAN ROOM FITTING



TOP FRAME & TOP COVER



MODEL NO -TOP OPENING
WATTAGE -36W/40W/45W/60W
DIMENSIONS -640X640X95mm

MODEL NO -BOTTOM OPENING
WATTAGE -36W/40W/45W/60W
DIMENSIONS -640X640X95mm



LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 5000 K
LUMEN EFFICIENCY	100 LM / W
BODY	CRCA
TOP FRAME	CRCA/SS



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY: 5 YEARS (LED) / 3 YEARS (OTHERS)



LED STRIPS



MODEL NO -2835
WATTAGE -5-24W

MODEL NO -5050
WATTAGE -5-24W

MODEL NO -TUNABLE STRIP
WATTAGE -15-18W

PHILIPS SMPS



MODEL NO -12W 1A 12V
WATTAGE -12W



MODEL NO -24W 2A 12V
WATTAGE -24W



MODEL NO -60W 5A 12V
WATTAGE -60W



MODEL NO -120W 10A 12V
WATTAGE -120W

BULKHEAD LIGHT



MODEL NO -BK 5
WATTAGE -5W



MODEL NO -BK 9
WATTAGE -10W

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LUMEN EFFICIENCY	130 LM/W
AMPS	1A
VOLT	12V
IP RATING	IP 20, IP65
INPUT	12V DC
LED TYPE	60/120/180/240 LED



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY PERIOD: 3 YEARS



GARDEN LIGHT



MODEL NO -SP06/SP12
WATTAGE -7W/12W

SPIKE LIGHT



MODEL NO -SP8
WATTAGE -8W/12W



MODEL NO -SP5
WATTAGE -3W/5W



MODEL NO -SP10/SP20
WATTAGE -8W/12W/12-20W

LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LED BEAM ANGLE	40°
MATERIAL	ALUMINUM DIE CASTING
BODY COLOUR	WHITE/BLACK
IP RATING	IP 65



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE






#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



BOLLARDS



UP / DOWN (LED DISK)



MODEL NO -UP7
WATTAGE -7W
DIAMETER -62mm
WIDTH -95mm
LENGTH -210mm
OUTER FINISH -BLACK/SS

MODEL NO -UP11
WATTAGE -11W
DIAMETER -88mm
WIDTH -130mm
LENGTH -95mm
OUTER FINISH -BLACK/SS

MODEL NO -UP DOWN 14
WATTAGE -14W
DIAMETER -62mm
WIDTH -95mm
LENGTH -210mm
OUTER FINISH -BLACK/SS

MODEL NO -UP DOWN 22
WATTAGE -22W
DIAMETER -88mm
WIDTH -130mm
LENGTH -95mm
OUTER FINISH -BLACK/SS

LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LED BEAM ANGLE	36°/85°
LUMEN OUTPUT	300 LM
BODY COLOUR	WHITE/BLACK
IP RATING	IP 20
POWER FACTOR	>0.95



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



UP LIGHT



MODEL NO	-7W UP LIGHT	MODEL NO	-10W UP LIGHT	MODEL NO	-15W UP LIGHT
WATTAGE	-3-7W	WATTAGE	-10W	WATTAGE	-12-15W
DIAMETER	50mm	DIAMETER	60mm	DIAMETER	80mm
HEIGHT	120mm	HEIGHT	150mm	HEIGHT	150mm

UP & DOWN LIGHT



MODEL NO	-7W UP LIGHT	MODEL NO	-10W UP LIGHT	MODEL NO	-15W UP LIGHT
WATTAGE	-3-7W	WATTAGE	-10W	WATTAGE	-12-15W
DIAMETER	50mm	DIAMETER	60mm	DIAMETER	80mm
HEIGHT	120mm	HEIGHT	150mm	HEIGHT	150mm

LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	2700K / 3000K / 4000K / 6500 K
LED BEAM ANGLE	36°/85°
LUMEN OUTPUT	300 LM
BODY COLOUR	WHITE/BLACK
IP RATING	IP 20
POWER FACTOR	>0.95



RF 2.4G 

TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



STREET LIGHT



MODEL NO -SG 18/24
WATTAGE -15W-20W/24W-30W
DIMENSION 18W-270X85X55mm
24w-103x325x55mm

MODEL NO -SG 36
WATTAGE -30W-40W
DIMENSION 343x135x60mm

MODEL NO -SG 50
WATTAGE -40W-50W
DIMENSION -145x380x60mm

LED
DRIVER
COLOUR TEMP
MATERIAL

BRIDGELLUX
CREE
PHILIPS / FULHAM / OSRAM / SHIKSHA
2700K / 3000K / 4000K / 6500 K
ALUMINIUM DIE CASTING



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WARRANTY PERIOD: 3 YEARS




STREET LIGHTS



MODEL NO -BOAT 30
WATTAGE -18W-30 W
DRIVER AREA -110X6X35mm
PCB AREA -105X67mm



MODEL NO -BOAT 50
WATTAGE -36W-50 W
DRIVER AREA -110X60X35mm
PCB AREA -140X67mm



MODEL NO -FH 120
WATTAGE -100W-120 W



MODEL NO -BOAT 90
WATTAGE -50 W-90W
DRIVER AREA -100X120X36mm
PCB AREA -195X67mm



MODEL NO -FH 150
WATTAGE -100 W-150W

LED	  
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	3000K / 4000K / 6500 K
LUMEN EFFICIENCY	120-140 LM / W
LED TYPE	SMD HIGH / MID POWER
DRIVE	BLACK
MATERIAL	ALUMINUM DIE CASTING
IP RATING	IP 65



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



FLOOD LIGHTS



MODEL NO -DOWN CHOWK 30/50
WATTAGE -30 W-50W



MODEL NO -DOWN CHOWK 100/150
WATTAGE -100 W- 150W



MODEL NO -HF 60
WATTAGE -60 W-100W



MODEL NO -HF 120
WATTAGE -100 W-150W



MODEL NO -HF 200
WATTAGE -200 W-300W



MODEL NO -HF 400
WATTAGE -350 W-400W

LED
DRIVER
COLOUR TEMP
LED TYPE
MATERIAL
IP RATING

BRIDGELUX CREE+ OSRAM
PHILIPS / FULHAM / OSRAM / SHIKSHA
3000K / 4000K / 6500 K
SMD HIGH / MID POWER
ALUMINUM DIE CASTING
IP 65



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA FLOOD LIGHTS




MODULAR FLOOD LIGHT



MODEL NO -MODULAR 75
WATTAGE -50W-75W




MODEL NO -MODULAR 150
WATTAGE -100 W-150W




MODEL NO -MODULAR 200
WATTAGE -150 W-220W

UFO HIGHBAY



MODEL NO -MODULAR 300
WATTAGE -250W-300W



MODEL NO -MODULAR 400
WATTAGE -350 W-450W



MODEL NO -UFO HOGHBAY 50/ 100
WATTAGE -30-50W/75W-100W

HIGHBAY



MODEL NO -UFO HIGHBAY 150/250
WATTAGE -120W-150W/180W-250W



MODEL NO -HIGHBAY 50/100
WATTAGE -30W-50W / 75W-100W



MODEL NO -HOGHBAY 150/ 250
WATTAGE -100W-150/175W-250W

LED	BRIDGELUX CREE+ OSRAM
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	3000K / 4000K / 6500 K
LED TYPE	SMD HIGH / MID POWER
MATERIAL	ALUMINUM DIE CASTING
IP RATING	IP 65



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA FLOOD LIGHTS



HIGHBAY



APPLICATION : STREET, WARE HOUSE, FACTORIES, INDUSTRIES.



MODEL NO -HH 503
WATTAGE -50W-75W



MODEL NO -HH 150
WATTAGE -85W-150W



MODEL NO -HH V204
WATTAGE -50W-250W



MODEL NO -HH 110 LENS
WATTAGE -100W-160W



MODEL NO -HH 200 UFO
WATTAGE -150W-250W

LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	3000K / 4000K / 6500 K
LED TYPE	SMD HIGH / MID POWER
MATERIAL	ALUMINUM DIE CASTING
IP RATING	IP 65



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

WHILE CUTTING, PLEASE



POST TOP



MODEL NO -HL 050
WATTAGE -50W-60W
SIZE -560X320X65mm



MODEL NO -HL 030
WATTAGE -50W-60W
SIZE -560X320X65mm



MODEL NO -HL 070
WATTAGE -100W-160W
SIZE -560X65mm



MODEL NO -NEO
WATTAGE -7W
SIZE -410X350x160mm

LED
DRIVER
COLOUR TEMP
LED TYPE
MATERIAL
IP RATING
LUMEN EFFICIENCY

BRIDGELUX
CREE
OSRAM
PHILIPS / FULHAM / OSRAM / SHIKSHA
3000K / 4000K / 6500 K
SMD HIGH / MID POWER
ALUMINUM DIE CASTING
IP 65
130 LM/W



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS



POST TOPS



MODEL NO -HL 080
WATTAGE -50W
SIZE -550X360X300mm



MODEL NO -HL090
WATTAGE -100W
SIZE -500X360x300mm



MODEL NO -HL 011
WATTAGE -150W
SIZE -600X300mm



LED	BRIDGELUX CREE+ DISON
DRIVER	PHILIPS / FULHAM / OSRAM / SHIKSHA
COLOUR TEMP	3000K / 4000K / 6500 K
LED TYPE	SMD HIGH / MID POWER
MATERIAL	ALUMINUM DIE CASTING
IP RATING	IP 65
LUMEN EFFICIENCY	130 LM/W



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



#All cutouts Dimensions are precisely correct. Even before cutting, please take original sample

SHIKSHA LIGHTING SOLUTIONS





RAMA ELECTRIC INDUSTRIES



- 📍 AN ISO 9001:2018 CERTIFIED COMPANY
INDIA, PUNJAB -143001
- ☎ 9876-88444, 98767-89444
- ✉ info@shikshalights.com
- 🌐 www.shikshalights.com